



Re: Fw: Screening Values for Puerto Rico Leaching Tests 
Lenny Grossman to: Susan Thorneloe

07/19/2012 03:49 PM

From: Lenny Grossman/R2/USEPA/US
To: Susan Thorneloe/RTP/USEPA/US@EPA

Yes - will do ASAP.

Susan Thorneloe

[Can you respond to Andy's questions below? --...](#)

07/19/2012 03:18:51 PM

From: Susan Thorneloe/RTP/USEPA/US
To: Lenny Grossman/R2/USEPA/US@EPA
Cc: "Kosson, David S" <David.Kosson@Vanderbilt.Edu>, "Delapp, Rossane" <rossane.c.delapp@vanderbilt.edu>, Peter Kariher/RTP/USEPA/US@EPA, Greg Helms/DC/USEPA/US@EPA, Richard Benware/DC/USEPA/US@EPA
Date: 07/19/2012 03:18 PM
Subject: Fw: Screening Values for Puerto Rico Leaching Tests

Can you respond to Andy's questions below?

----- Forwarded by Susan Thorneloe/RTP/USEPA/US on 07/19/2012 03:16 PM -----

From: "Garrabrants, Andrew Charles" <a.garrabrants@Vanderbilt.Edu>
To: Susan Thorneloe/RTP/USEPA/US@EPA, Peter Kariher/RTP/USEPA/US@EPA, Greg Helms/DC/USEPA/US@EPA, Richard Benware/DC/USEPA/US@EPA
Cc:
Date: 07/19/2012 03:00 PM
Subject: Screening Values for Puerto Rico Leaching Tests

"Kosson, David S" <David.Kosson@Vanderbilt.Edu>, "Delapp, Rossane" <rossane.c.delapp@vanderbilt.edu>

Susan et al.,

Using the link that Len provided, I took the table of screening values (b) (5)

[Redacted content]

[Redacted content]

(b) (5)

Len and ask him to check it?

Susan - can you please forward this table to

Regards,

Andy

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering

Vanderbilt University

VU Station B35-1831

2301 Vanderbilt Pl, Nashville, TN 37235

615-322-7226 office

615-322-3365 fax

FedEx and UPS:

400 24th Avenue South

Jacobs Hall 281

Nashville, TN 37235

[attachment "Region 9 Screening Levels (May 2012).xls" deleted by Lenny Grossman/R2/USEPA/US]

